




## T

T



***T. 4 N — R. 10 West — 2<sup>nd</sup> Mer.***



 The figures on the lines refer to the page.

Township N. 4. North, Range N. 10 West 2. E. Mer. Indiana 9

ch. lks.

### South Boundary

West On S. boundary of Sec. 36

4.80 across the field

10.22 a W. Ash 12 in. dia.

15.00 a Cornfield

24.90 across the field

40.00 Set gr. Sec. post, from which

a Beech 22 in. dia. bear N 32 W 16 lks. dist. of

a Sugar 14 " " " S 11 1/2 E 47 " "

60.84 a Hickory 18 " "

74.90 a Brook 3 lks. wide Course S. W.

76.50 a Do 3 " " " S.

79.60 a Beech 22 in. dia.

80.00 Set post Cor. to Sec. 35 of 36, from which

a Beech 15 in. dia. bear N 60 W 3 lks. dist. of

an Elm 14 " " " S 59 W 40 lks. "

This mile wavy land, last part broken with gullies, very rich soil, timber Beech, Sugar tree ash, Walnut, Elm, Poplar, Hickory &c. (wood) pretty Open, mostly cov. by private claims

West On S. boundary of Sec. 35

8.50 a Brook 4 lks. wide Course S. W.

28.60 a run 3 lks. wide Course S. W.

31.50 a Dream Course S.

40.00 Set gr. Sec. post, from which

a Hickory 14 in. dia. bear N 20 E 36 lks. dist. of

an Elm 12 " " " S 15 E 40 " "

63.20 a Hoop Ash 22 " "

78.20 Over a hill to a small pond, back of Mabash bottom

80.00 across pond to an Elm 16 in. dia. (marked for corner to Sec. 34 of 35, This mile to bottom, some broken with gullies rich soil, timber Beech, Ash, Poplar Walnut, Sugar tree &c. This corner tree Plazed E. W. - N. of S. - 2 notches in each Plaze All covered by private claims

# T4 N R10 W. 2<sup>d</sup>. Mer. Indiana

ch. 2<sup>d</sup> M.

West On S. boundary of Sec. 34

12.36 to the Bank of Wabash River. Set post, from which  
a Maple 15 m. diam. bears N 39° W 9 lks. dist. of  
a Do. 12 " " " S 5 1/2° E 14 " "

Over low marshy bottom

This corner stands about 1/4 of a mile above  
foot of Little Rock. All Cor. by private claims

## East Boundary.

North On E. boundary of Sec. 36, T4 N. R10 W

6.00 across field

9.72 a Sugar 18 m. diam.

24.24 a B. Walnut 40 " "

33.00 a Brook 4 lks. wide Course N 70° W.

40.00 Set of Sec. post, from which

a Beech 14 m. diam. bears N 52° E 20 lks. dist. of  
a W. Walnut 9 " " " S 85° W 30 " "

50.00 a Brook 6 lks. wide Course N. fine Spring run

51.70 a Beech 16 m. diam.

59.90 Brook bends N. W.

63.00 a W. Oak 40 m. diam.

79.82 a Beech 16 " "

80.00 Set post Cor. to Sec. 25 of 36, from which

a Gum 13 m. diam. bears S 59° W 35 lks. dist. of  
a W. Oak 15 " " " N 40° W 52 " "

This mile first 1/2 pretty level rich land, timber  
Beech, Sugar, Ash, Walnut, Hickory &c. last  
1/2 broken with steep gullies, soil middling draw  
near barren to N of N. W. Quit Nov. 27<sup>th</sup> 1804  
All covered by private claims

North On E. boundary of Sec. 25

2.30 a W. Oak 16 m. diam.

4.35 a Brook 3 lks. wide Course N.

15.50 a Small Creek 25 lks. wide Course S 60° W

18.50 a Brook 6 lks. wide Course S. W.

32.20 a Do 6 " " " S. W. from N.

# 11

## T. & R. W. 2<sup>d</sup>. Mer. Indiana

ch. lks.  
 40.00 Let gr. Sec. post, from which  
     a Beech 12 in. diam. tray N 12 1/2 E 11 lks. dist. of  
     a Do. 11 " " " N 43 W 23 " "  
 41.00 a Brook Comes from N.W.  
 50.00 Same brook Course S.W.  
 56.74 a Beech 12 in. diam.  
 80.00 Let post Cor. to Sec. 24 & 25, from which  
     a Beech 20 in. diam. tray S 33 W 16 lks. dist. of  
     a Beech 20 " " " N 15 W 41 " "  
 This mile much broken with gullies, soil good  
 timber Beech, Sugar tree, Oak, Elm, Lyrus, Poplar  
 &c. underg<sup>d</sup>. Spruce  
 All covered by private claims

### North On E. boundary of Sec. 24

8.54 a Poplar 40 in. diam.  
 23.80 a Beech 16 " "  
 29.00 a Brook 3 lks. wide Course N.  
 40.00 Let gr. Sec. post, from which  
     a Beech 14 in. diam. tray S 75 E 30 lks. dist. of  
     a Do. 12 " " " N 15 W 32 " "  
 49.00 a Brook 3 lks. wide Course N.  
 51.20 a Poplar 26 in. diam.  
 56.50 a Brook 3 lks. wide Course N.  
 57.90 Maria's Creek 50 lks. wide Course S.W.  
 80.00 Let post Cor. to Sec. 13 & 24, from which  
     a B. Oak 14 in. diam. tray S 30 W 40 lks. dist. of  
     a Hickory 12 " " " S 78 E 21 " "  
 This mile very broken hilly to Margin of Creek  
 Soil good, timber Poplar, Beech, Oak, Sugar tree  
 &c. North of Maria's Creek barring some  
 scrubby Oak & Hickory mostly Cor. by private claims

### North On E. boundary of Sec. 13

3.00 Maria's Creek 100 lks. wide Course E.  
 13.50 Do. Do 50 " " E.  
 40.00 Let gr. Sec. post, from which



# Let N. R. 10 W. 2<sup>nd</sup> Mer Indiana

ch. l. l. l.

a W. Oak 14 in. diam. bran 188 1/2 E 123 l. l. dist. of  
 a Hickory 12 " " " N 78 W 102 " "  
 78.66 a W. Oak 18 " " " "  
 80.00 Let post Cor. to Sec. 12 of 13, from which  
 a W. Oak 15 in. diam. bran N 77 W 35 l. l. dist. of  
 a Do. 30 " " " S 85 E 77 " "  
 This mile barring & prairie some Oak &  
 Hickory trees, level & thin soil  
 All covered by private claims

North On E. boundary of Sec. 12

40.00 Let gr. Sec. post, from which  
 a W. Oak 15 in. diam. bran N 63 W 62 l. l. dist. of  
 a Hickory 12 " " " N 26 E 49 " "

46.20 an Elm 12 " " "

80.00 Let post Cor. to Sec. 10 of 12, from which  
 a W. Oak 12 in. diam. bran S 38 1/2 W 118 l. l. dist. of  
 a B. Oak sapling 5 " " " N 35 E 42 " "  
 This mile barring some few scattering Oak &  
 Hickory, soil poor  
 All covered by private claims

North On E. boundary of Sec. 1

39.32 a Hickory 16 in. diam.

40.00 Let gr. Sec. post, from which  
 a W. Oak 20 in. diam. bran S 82 W 60 l. l. dist. of  
 a Hickory 12 " " " N 72 E 30 " "

50.00 a B. Oak 24 " " "

57.04 a W. Oak 12 " " "

80.00 Let post Cor. to Township N. 4 of 5 North,  
 Range N. 9 of 10 W. from which  
 a B. Oak 26 in. diam. bran S 83 1/2 W 57 l. l. dist. of  
 a Hickory 14 " " " S 87 E 6 " "  
 This mile barring thinly timbered with Oak  
 & Hickory, much very high grass, soil thin  
 All covered by private claims

North Boundary

West On S. boundary of Sec. 36, T. 5 N. R. 10 W.

T4 N. R10 W. 2<sup>d</sup> Mer. Indiana

ch. l. l. h.

37.30 a P. Oak 20 in. dia.

40.00 Set q. Sec. post, from which  
a Hickory 20 in. dia. bear N40 E 78 l. h. dist. of  
no more trees80.00 Set post Cor. to Sec. 35, 36, T5 N. R10 W. from which  
a Hickory 20 in. dia. bear N35 E 203 l. h. dist  
in prairie, no more treesFirst 1/2 mile barren - last 1/2 prairie, some  
wet & slashy poor land

Mostly covered by private claims

West On S. boundary of Sec. 35, T5 N. R10 W

40.00 Set q. Sec. post in prairie no bearing trees

80.00 Set post Cor. to Sec. 34, 35 from which  
no bearings could be taken.This mile all open prairie generally wet  
and very high grass - water from 6 to 18  
inches deep partly Cor. by private claims

West On S. boundary of Sec. 34, T5 N. R10 W

40.00 Set q. Sec. post in prairie no bearing trees

43.50 to Bushy barren

46.70 a Hickory 14 in. dia.

60.22 a Gum 16 " "

80.00 Set post Cor. to Sec. 33, 34, T5 N. R10 W. from which  
a Hickory 14 in. dia. bear N68 W 12 l. h. dist. of  
a Do. 16 " " " N40 35 " "First 1/2 prairie - last 1/2 low overflowed land  
timber Hickory, Ash, Gum etc. Many briars.

West On S. boundary of Sec. 33, T5 N. R10 W

11.10 a W. Ash 12 in. dia.

16.20 to a Maple 15 " " On the bank of Wabash  
River for Cor. to Sec. 33, T5 N. R10 W. of Sec 4  
T4 N. R10 W. Marked per plan. This distance  
Overflowed bottom, Ash, Hickory, Maple etc.  
underg<sup>d</sup>. Spruce and many green briars

Lot R109, 2<sup>d</sup> Mer. Indiana

Surveyed November 28<sup>th</sup> 1804

By E. Buckingham  
Deputy Surveyor

Sub-division

North Between Secs. 35 & 36, T4N. R109W

6.00 a run 6 hrs. wide corner N.W.

13.29 a Sym 21 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a W. Walnut 8 in. dia. bears N 75 E 14 hrs. dist. of  
a B. Walnut 7 " " " S 81 W 18 " "

44.64 a Beech 24 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which  
a Poplar 12 in. dia. bears N 38 W 62 hrs. dist. of  
a Sym 10 " " " S 70 E 44 " "  
1<sup>st</sup> rate upland, timber Beech, Sugar, B & W.  
Walnut, Poplar &c. underg<sup>th</sup>. Birch, Hazel  
grape vines, herbage, pear vines & nettles, &c.  
All covered by private claims

West On Rand<sup>m</sup>. between Secs. 26 & 35

40.00 Set hump<sup>d</sup>. q<sup>r</sup>. Sec. post

78.12 Intersected the N & S. line 80 hrs. S. of post  
Over level swampy land

East On true line between Secs. 35 & 26

39.06 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Gum 18 in. dia. bears N 63 E 22 hrs. dist. of  
a Ho. 22 " " " S 23 E 28.28 " "

78.12 to Sec. Cor.

West On Rand<sup>m</sup>. between Secs. 27 & 34

18.08 to West side of River, fell south of line  
152 hrs. Sand River bottom

East On true line between Secs. 27 & 34

8.53 Set post on E. side of Nabash from which



15

Ch. Lk. L. N. R. 10th. 2<sup>nd</sup>. Mer. Ind. a

a Cottonwood 18 in. dia. bray N 35 E 48 lks. dist. of  
 a Hoopash 9 " " " N 48 E 38 " "  
 18.08 to Cor. of Secs. 26, 27, 34 & 35

East On Randm. between Secs. 25 & 36  
 40.00 Set temp. q. Sec. post  
 76.50 a run Elm. wide Course N.  
 77.50 a gnation line Course N. easterly  
 82.00 intersected the E. boundary 125 lks. S. of post  
 This mile mostly brushy ridge some Sugar  
 Beech, Poplar &c.

West On true line between Secs. 25 & 36  
 41.00 Set q. Sec. post at average dist. from which  
 a W. Oak 15 in. dia. bray N 49 W 18 lks. dist. of  
 a Do. 18 " " " S 69 E 25 " "  
 82.00 to Sec. Corner. partly cov. by private claims

North Between Secs. 34 & 35  
 25.50 to bend of Wabash River  
 40.00 q. Sec. post or corner in River  
 74.20 to North side of bend  
 80.00 Set post cor. to Secs. 26, 27, 34 & 35, from which  
 a W. Ash 21 in. dia. bray S 23 E 22 lks. dist. of  
 a Maple 10 " " " N 4 E 59 " "  
 (description of land &c. omitted)  
 partly covered by private claims

North Between Secs. 26 & 27  
 29.60 to bank of the Wabash, set post, from which  
 an Elm 10 in. dia. bray N 81 E 25 lks. dist. of  
 a W. Oak 22 " " " S 28 W 44 " "  
 low overflowed bottom, Elm, Hoopash,  
 White Oak &c.

North Between Secs. 25 & 26  
 12.00 to Swamp full of Rosebushes, some ash timber



# Lat PC10 W. 2<sup>nd</sup> Mer. Indiana

ch. lks.  
 23.50 to a Creek 60 lks. wide Course N.W.  
 38.00 through the Swamp  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a W. Oak 16 in. dia<sup>r</sup>. bray N 21 W 30 lks. dist. of  
 a Do. 18 " " " N 76 E 49 " "  
 59.27 a W. Oak 13 " "  
 80.00 Set post Cor. to Secs. 23, 24, 25 of 26, from which  
 a W. Oak 20 in. dia<sup>r</sup>. bray N 74 W 36 lks. dist. of  
 a Hickory 12 " " " N 22 E 58 " "  
 Last 1/2 mile poor land thinly timbered  
 with W. Oak, Hickory & Poplar, thick undg.<sup>th</sup>  
 of young Oak, Hickory &c.  
 Partly covered by private claims

---

East On Rand<sup>m</sup>. between Secs. 24 & 25  
 40.00 Set temp. q<sup>r</sup>. Sec. post  
 82.60 intersected the (N of S. line) E. boundary 187 lks. S.  
 of post, this mile 2<sup>nd</sup> rate land generally uneven  
 Beech, Sugar, Poplar, W. Oak &c. thick undg.<sup>th</sup>  
 same kind of timber.

---

West On true line between Secs. 24 & 25  
 41.30 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Gum 18 in. dia<sup>r</sup>. bray N 45 E 10 lks. dist. of  
 a Do. 10 " " " N 65 W 28 " "  
 82.60 to Sec. Corner. Partly cov<sup>d</sup>. by private claims

---

West On Rand<sup>m</sup>. between Secs. 23 & 26  
 26.00 to River bottom  
 34.00 a Creek 50 lks. wide course running to the N.  
 40.00 Set temp. q<sup>r</sup>. Sec. post  
 62.40 to the E. bank of the Wabash river  
 72.00 to the W. bank of Do. full south of line  
 79.45 to post Cor. to Secs. 22, 23, 26 & 27  
 Over brushy ridges, some Oak Hickory timber

---

East On true line between Secs. 23 & 26

# T L K R C 10 W. 2<sup>nd</sup> Mer. Ind. 17

ch. l. l. m.

7.25 to the Wabash River

17.05 Set (meander post on E bank of river from which  
a Hoopash 16 in. dia. beam N 49° 34' E 34 l. m. dist. of  
a Do. 10 " " " N 49° 50 " "

39.72 1/2 Set q. Sec. post at average dist. from which  
a Hoopash 10 in. dia. beam S 71° 11' 23" E 23 l. m. dist. of  
a Poplar 12 " " " S 25° E 30 " "

79.45 to Sec. Corner. Wednesday Aug. 26. 1807

North Between Sec. 22 & 23

29.75 to the Wabash river

37.47 to North Side of River

40.00 Set q. Sec. post, from which  
a Hoopash 6 in. dia. beam S 71° 27' E 27 l. m. dist. of  
a Do. 6 " " " S 31° E 15 " "

65.80 to Wabash, Set post from which  
an Elm 10 in. dia. beam S 55° E 18 l. m. dist. of  
a B. Oak 15 " " " S 86° 11' 40 " "

78.95 Set post on N. bank of the Wabash River

80.00 to post cor. to Sec. 14, 15, 22 & 23

(Description of land &c. Omitted)

North Between Sec. 23 & 24

18.00 to bottom land

21.00 to a Creek 100 l. m. wide Course W.

40.00 Set q. Sec. post, from which  
a W. Oak 12 in. dia. beam N 15° 11' 12" E 12 l. m. dist. of  
a Do. 20 " " " S 28° E 48 " "

55.00 to Open prairie

80.00 Set post cor. to Sec. 13, 14, 23 & 24, from which  
there could be no bearings taken (in Open prairie)  
Over high Brushy ridge

East On Land between Sec. 13 & 24

25.00 to Sandy land some Oak & Hickory

40.00 Set temp. q. Sec. post.

# St. N. R. 10 N. 2<sup>d</sup>. Mer. Indiana

ch. l. l. m.  
82.80 Intersected E. boundary 374 l. m. S. of post  
Over prairie land.

West On true line between Sec. 13 & 24  
41.40 Set q. Sec. post at average dist. from which  
a W. Oak 28 in. dia. bran N 46 E 61 l. m. dist.  
No more trees near.

82.80 to Sec. Corner. Partly cov. by private claims

West On Rand. between Sec. 14 & 23  
18.00 to low overflowed bottom Ash, Elm &c.  
40.00 Set temp. q. Sec. post  
63.60 to the E. bank of Wabash River  
76.00 Over to the W. bank of river, fell 138 l. m. S. of line  
79.50 to post cor. to Sec. 14, 15, 23 & 22  
Over Open prairie

East On true line between Sec. 14 & 23  
39.75 Set q. Sec. post at average dist. from which  
a Hoopash 18 in. dia. bran N 9 E 19 l. m. dist.  
a Do. 8 " " " S 29 W 40 " "  
79.50 to Sec. Corner.

North Between Sec. 14 & 18  
4.94 Set q. Sec. post  
62.20 to the River bank  
63.50 to the water  
80.00 Set post on N. side of Wabash Cor. to Sec. 10,  
11, 14 & 15 from which  
a Lycamore 16 in. dia. bran S 26 E 39 l. m. dist.  
a Maple 12 " " " N 78 W 25 " "  
This mile out bottom,  
St. V. found no line on N. side of the River  
Big Open prairie

North Between Sec. 13 & 14



# Let R.W.D. Mer. Indiana

Ch. P. Lhs.

40.00 Let q. Sec. post in prairie

no trees near

74.00 to some Oak & Hickory

80.00 Let post cor. to Sec. 11, 12, 13 & 14, from which  
a Hickory 7 mi. dist. bearing  $N 28^{\circ} 16' E 3$  lns. dist. 5  
a W. Oak 16 " " "  $N 35^{\circ} E 10$  " "

Over Open prairie Partly Cor. by private claims

East On Randm. between Sec. 12 & 13

6.00 to Open wet prairie

40.00 Let temp. q. Sec. post

41.00 to Barren as before

82.70 intersected E. boundary 347 lns. S. of post  
Over Barren timber Oak & Hickory

West On true line between Sec. 12 & 13

41.35 Let q. Sec. post at average dist. from which  
a B. Oak 12 mi. dist. bearing  $N 2^{\circ} E 72$  lns. dist. 5  
a Hickory 12 " "  $S 64^{\circ} E 65$  " "

82.70 to Sec. Corner. All Cor. by private claims

West On Randm. between Sec. 13 & 14

17.00 to Open prairie

40.00 Let temp. q. Sec. post

48.00 to River Bottom

79.80 intersected at h. d. line at the post  
Over Barren same Oak & Hickory

East On true line between Sec. 13 & 14

39.90 Let q. Sec. post at average dist. no bearing then

79.80 to Sec. Cor.

North Between Sec. 13 & 12

40.00 Let q. Sec. post, from which

a Hickory 12 mi. dist. bearing  $S 49^{\circ} 14' E 41$  lns. dist. 5  
a B. Oak 24 " "  $N 83^{\circ} E 53$  " "



20)

# Let N R 10 W. 2<sup>d</sup> Mer. Indiana

ch. lks.

73.00 to Open prairie

80.00 Let post cor. to Sec. 1, 2, 11 & 12 in prairie

no bearing trees

This mile mostly hilly, barrens some Hickory  
W. B. Oak. Partly cor. by private claims

North Between Sec. 10 & 11

13.61 a W. Ash 16 in. dia.

40.00 Let q. Sec. post, from which  
an Elm 12 in. dia. bears S 66 E 18 lks. dist. of  
a W. Oak 9 " " " N 70 W 34 "

80.00 Let post cor. to Sec. 2, 3, 10 & 11, from which  
an Elm 16 in. dia. bears S 46 W 28 lks. dist. of  
a Do. 18 " " " N 44 E 10 lks. "

This mile low flat bottom land. Ash, Elm, W. Oak  
Hickory &c.

East On Rand<sup>m</sup>. between Sec. 2 & 11

6.00 to Open wet prairie

40.00 Let temp. q. Sec. post

80.25 Intersected N & S. line at the post  
Over land timber &c. same as on the last mile

West On true line between Sec. 2 & 11

40.12 1/2 Let q. Sec. post at average dist. in Open  
prairie no trees near

80.25 to Sec. Corner

East On Rand<sup>m</sup>. between Sec. 11 & 12

25.00 to hilly Barrens some W. Oak & Hick. timber

40.00 Let temp. q. Sec. post

45.00 Crossed a road

51.00 a run 4 lks. wide Course S. W

83.00 Intersected the E. boundary 220 lks. S. of post  
Over level wet prairie

21

Let N. S. R. 10 W. 2<sup>nd</sup> Mer. Indiana

ch. 1/2

West On true line between Sec. 1 & 12

44.50 Set of Sec. post at average dist. from which  
a W. Oak 18 in. dia. bray 12 E 75 lbs. dist. of  
a do. 20 " " " N 56 E 62. "

83.00 to Sec. Corner. All Cor. by private claims

North Between Sec. 1 & 2

12.00 to hilly barony some W. Oak & Hickory

40.00 Set of Sec. post, from which  
a W. Oak 12 in. dia. bray 12 E 12 lbs. dist. of  
a do. 10 " " " N 33 W 68 "

87.50 Intersected N. boundary 300 W. of post. Set  
post Cor. to Sec. 1 & 2, from which  
a W. Oak 18 in. dia. bray 11 W 65 lbs. dist.  
no other tree

Over level wet prairie. All Cor. by private claims

North Between Sec. 2 & 3

10.00 to Open wet prairie

40.00 Set of Sec. post in prairie (no bearing trees)

87.40 Intersected the N. boundary 275 lbs. N. of post  
Set post Cor. to Sec. 2 & 3 in Open prairie  
Over low bottom land, Ash, Elm, Maple,  
Oak &c. Saturday Aug. 29<sup>th</sup> 1807

East On Rand<sup>m</sup>. between Sec. 3 & 10

From Corner on N. side of Wabash

2.63 to Wabash river

14.96 to E. side of River

40.00 Set of Sec. post

80.60 Intersected the S. line 160 lbs. S. of post  
Low bottom land, W. Ash, Maple, Elm, W. Oak &c.

West On true line between Sec. 3 & 10

40.30 Set of Sec. post at average dist. from which  
a Hickory 14 in. dia. bray 11 W 5 lbs. dist. of

# Left Bank of the Wabash River, Ind.

Ch. lks.

65.64 a Hickory 12 mi. dist. from S 38 E 16 lks. dist. of  
 a post on E. bank of Wabash, from which  
 aycamore 18 mi. dist. from S 24 N 56 lks. dist. of  
 an Elm 9 " " " S 57 N 31 " "  
 80.60 to Sec. Corner

North Between Secs. 34 & 35

26.18 Set post on N. bank of Wabash from which  
 a Mulberry 14 mi. dist. from S 36 E 30 lks. dist. of  
 a Do. 8 " " " S 27 N 6 " "  
 40.00 Set of Sec. post, from which  
 a W. Ash 24 mi. dist. from S 63 N 42 lks. dist. of  
 a Do. 12 " " " S 19 E 48 " "  
 87.50 Intersected N. boundary 170 lks. E. of post  
 Set post cor. to Sec. 34 & 35, from which  
 a W. Oak 22 mi. dist. from S 55 E 41 lks. dist. of  
 a W. Ash 18 " " " S 66 N 20 " "  
 (Description of Land &c. Omitted)

Meanders of the Left bank of the Wabash  
 River - began on S. boundary in Sec. 34  
 thence up stream

N 10 E 2.00 mi Sec. 34  
 N 20 E 10.00  
 N 40 E 5.00  
 N 52 E 5.00  
 N 70 E 6.93 to line between Secs. 34 & 35

N 70 E 3.15 mi Sec. 35  
 N 60 E 7.00  
 N 55 E 10.00  
 N 40 E 10.00 at 780 a run 8 lks. wide from S.  
 N 17 E 8.00  
 North 4.50  
 N 20 N 8.00  
 N 45 N 10.00



# 23

## S. K. R. N. 2<sup>nd</sup> Mer. Indiana

|             |       |   |
|-------------|-------|---|
| ch. lks.    |       |   |
| N 70° W     | 5.00  |   |
| N 60° W     | 13.23 | to line between Secs. 34 & 35                       |
| N 60° W     | 6.77  | in Sec. 34 Aug. 25. 1807                            |
| N 45° W     | 25.00 | to line between Secs. 27 & 34                       |
|             |       | from line between Secs. 26 & 27, down stream        |
| S 45° W     | 9.50  | in Sec. 27  |
| S 30° W     | 5.00  |   |
| S 15° W     | 11.00 |   |
| S 5° E      | 5.00  |   |
| S 10 3/4° E | 2.60  | to line between Secs. 27 & 34                       |
|             |       | from post in line between Secs. 23 & 26             |
| S 5° W      | 29.00 | in Sec. 26, down stream                             |
| S 10° W     | 6.00  |   |
| S 20° W     | 5.00  |   |
| S 30° W     | 5.00  |   |
| S 40° W     | 5.00  |   |
| S 50° W     | 6.80  | at 500 lower point of island, to line betw. 26 & 27 |
|             |       | from post on line between Secs. 14 & 23             |
| S 35° W     | 6.00  | in Sec. 23, down stream                             |
| S 45° W     | 6.00  |   |
| S 53° W     | 7.50  |   |
| S 76 1/2° W | 1.20  | to line between Secs. 22 & 23                       |
| S 65° W     | 8.40  | in Sec. 22  |
| S 75° W     | 4.00  |   |
| S 85° W     | 15.00 |   |
| S 75° W     | 14.00 |   |
| S 60° W     | 8.50  |   |
| S 49° W     | 5.00  |   |
| S 15° W     | 7.50  |   |
| S 15° E     | 5.00  |   |
| S 40° E     | 5.00  |   |



24

Lick River 2<sup>nd</sup> Mer. Indiana

Course distance

S60 E 4.50

N80 E 10.00

N70 E 16.00

N85 E 13.00

S85 E 6.00

S75 E 1.75 to line between Sec. 22 &amp; 23

S65 E 5.00 In Sec. 23

S55 E 7.00

S40 E 4.00

S20 E 5.50 at 400 a creek 120 yds. from N.E.

S10 E 14.00

S2 1/4 W 9.10 to line between Sec. 23 & 26  
Thursday August 27<sup>th</sup> 1807from post on line between Sec. 14 & 23  
in Sec. 14 up stream

N35 E 16.00

N20 E 4.00

N10 E 14.00

North 7.00

N10 W 7.00

N18 W 7.00

N25 W 5.00

N35 W 10.00

N40 W 14.00

N43 W 4.00

N35 W 7.00 Intersected the Corner of Sec. 10, 11, 14 & 15  
Friday August 28<sup>th</sup> 1807

N45 W 30.00 in Sec. 10

N50 W 19.00

N40 W 11.00

N25 W 5.00

N15 W 6.00

N25 W 7.00

N35 W 9.00

25

T<sup>h</sup> N. R<sup>10</sup> N. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

| Course              | distance |                                     |
|---------------------|----------|-------------------------------------|
| N 25 <sup>o</sup> W | 9.00     |                                     |
| N 35 <sup>o</sup> W | 11.60    | to line between Sec. 3 & 10         |
| N 46 <sup>o</sup> W | 9.10     | in Sec. 3                           |
| N 28 <sup>o</sup> W | 10.00    |                                     |
| N 21 <sup>o</sup> W | 10.74    | to line between Sec. 3 & 4          |
| N 27 <sup>o</sup> W | 15.50    | in Sec. 4                           |
| N 35 <sup>o</sup> W | 6.00     |                                     |
| N 45 <sup>o</sup> W | 10.00    |                                     |
| N 65 <sup>o</sup> W | 8.00     |                                     |
| N 47 <sup>o</sup> W | 2.50     |                                     |
| N 27 <sup>o</sup> W | 7.00     |                                     |
| N 10 <sup>o</sup> E | 5.00     |                                     |
| N 25 <sup>o</sup> E | 9.00     |                                     |
| N 37 <sup>o</sup> E | 13.00    | Intersected N. boundary of Township |

N<sup>o</sup> 4 N. Range 10 West  
 Sunday 30<sup>th</sup> of August 1807  
 Daniel Sullivan,  
 Deputy Surveyor

I Certify, that the foregoing transcript of field notes of Township N<sup>o</sup> 4 North, of Range N<sup>o</sup> 10 N. 2<sup>d</sup> Mer. Indiana, has been Comp<sup>d</sup> with the Original notes, in this Office and found to be Correct.

Surveyor General's Office  
 Cincinnati, Sept. 13, 1842 William Johnston  
 Sur. Genl.